

Pre-Qualified Interval Meters

Applicant _____ Facility _____

Completing the Interval Meters Measure Application

- Indicate the quantity of interval meters proposed for installation
- To calculate the **Total Incentive**, multiply the **Quantity** by the **Incentive** and enter this amount in the **Total Incentive** column

General Eligibility Requirements for Interval Meters

- Pre-Qualified projects must submit an application for incentives within 90 days of invoice for the purchase and installation of Pre-Qualified measures
- Interval meters must be accurate to within +/- 2%
- Each meter must enable at least 40kW of demand response
- Please attach:
 - 1) Main program application
http://www.nysERDA.org/programs/Existing_Facilities/pdfs/Existing%20Facilities%20application.pdf
 - 2) Recent utility bills, with SBC notation
 - 3) Invoices, including purchase and installation price
 - 4) Equipment specification sheets, including product manufacturer and model number
 - 5) Proof of registration in a NYISO or utility demand response program
 - 6) Data access instructions so that NYSERDA may access metered data *i.e.* user ID and password

Interval Meters Incentive Calculation		
Quantity of Interval Meters	Incentive (\$/meter)	Total Incentive
	Up to \$1,500	

Project Cost Information (Required)

Total cost of materials and labor for installed Meter equipment Total \$ _____

Project Type (Please check one)

- New Construction or Major Renovation
- Replacement or Retrofit (Existing Facilities)